



FEATURES OF PHYSICAL DEVELOPMENT AND HEALTH OF CHILDREN OF OLDER PRESCHOOL AGE

Alishbayeva Dilafruz Zokirjon qizi,

Urozova Farizoda Azamat qizi,

Ikramova Nargiza Alisher qizi

Tashkent State Medical University, Tashkent, Uzbekistan

Abstract

The period of adaptation to the beginning of systematic schooling is one of the most difficult for a child. Successful adaptation and subsequent schooling largely depend on health and the readiness of the body's physiological systems to withstand the constant impact of academic demands. It is known that when assessing a child's readiness for school, primary consideration has been given to the development of school- relevant psychophysiological functions (attention, memory, thinking, etc.). Equally important is the child's level of physical readiness for school, as systematic schooling places increased static loads on the body associated with the need to maintain a working posture for extended periods while sitting at a student's desk. Unfortunately, many hygienists have recently noted a decline in the functional capabilities of today's older preschoolers, including their level of physical fitness.

The primary means of enhancing children's functional capabilities lies in optimizing their physical activity in kindergarten and at home. A key feature of today's environment is the development and implementation of innovative movement programs aimed at developing physical skills in preschool-aged children. Kindergarten gyms are equipped with innovative physical education and sports equipment, which, when used during classes, helps develop and improve motor skills and motivate children to engage in physical activity.

The widespread prevalence of hypokinesia and its important role in shaping the health of modern preschoolers determine the need to find effective ways to increase physical activity in a kindergarten setting, taking into account their functional capabilities and health status.



In accordance with Federal State Requirements for Preschool Education Programs, considerable attention is paid to creating the necessary conditions for children's physical development and health development in preschool educational institutions. At the same time, it is essential to ensure that physical activity is consistent with the child's level of functional capacity and health.

Physical preparation of children for school should be based on data on the developmental characteristics of modern senior preschool-age children, their lifestyle, including the specifics of physical activity in the daily routine, as well as innovative approaches to the hygienic optimization of physical regimes in kindergarten.

In accordance with this, the purpose and objectives of the study were determined. The aim of the study was to evaluate the impact of different options for organizing the physical activity of senior preschool children in kindergarten on the functional capabilities of their body and physical fitness and, on this basis, to develop an algorithm for hygienic optimization of the motor regime for the physical preparation of children for school.

Research Objectives

- 1) conduct a survey of older preschool children and determine the average age-sex values of their physical development and physical fitness indicators,
- 2) to evaluate the daily routine of older preschool children and identify the features of the organization of physical activity of children in preparatory groups for school.

The Result of the Study

Average age- and gender-specific values for physical fitness indicators in older preschoolers aged 5-7 were determined: 10-meter sprint time, 30-meter sprint time, standing long jump distance, and medicine ball throw distance. Differences in these values were identified compared to similar indicators in children of the same age and gender in the early 1990s. It was shown that today's older preschool-age children have lower functional capacity and physical fitness, as evidenced by



both the absolute values of the assessed indicators and the magnitudes of their change ranges.

A first-ever study of the functional reserves of the body (FRB) in older preschool-aged children was conducted based on a comprehensive assessment of the cardiovascular and respiratory systems and the results of functional coordination tests during motor modes with different focus on physical development. The prevalence of low (17.6% of children), moderate (52.2% of children), and high (30.2% of children) levels of FRB was established. For the first time, the use of FRB as a criterion for assessing children's physical readiness for school was substantiated.

It was found that high levels of FRO were detected less frequently in children in preparatory groups than in children in older groups, which may be due to the influence of additional educational loads during classes preparing children for school. The percentage of children with high levels of FRO in preparatory groups was 1.4 times lower than in older groups, amounting to 31.7% and 44.1%, respectively ($p < 0.05$). Low levels of FRO were observed equally frequently in children, 20.3% and 22.0% ($p > 0.05$).

It was found that children in preschool groups typically experience a reduction in the amount of physical activity in their daily routine, due to the need to attend additional physical activities to prepare them for school. In preschool, 55.9% of children attend such activities, while 44.3% attend such activities outside of preschool. This limits the time available for independent and additional activities to develop movement and optimize children's physical activity in their daily routine.

Age-specific sensitivity of 5- to 7-year-old children to developmental and health-improving physical activity has been established. At age 5, children are more sensitive to physical exercises aimed at normalizing muscle tone and developing optimal static-dynamic patterns, while at age 6, they are more sensitive to the development of coordination skills and balance. Sports games and exercises adapted to the child's age-specific developmental characteristics have a positive effect on children throughout the entire preschool years.



The use of identified patterns in the development of motor regimes in kindergarten allows for increasing the effectiveness of children's physical preparation for school.

The peculiarities of development of the main physical qualities in children aged 5-7 years were revealed: the growth rate over the academic year of speed-strength qualities indicators was 25-30% for the shoulder girdle muscles, 10-13% for the lower limb muscles, and speed qualities - no more than 5%.

Movement patterns characterized by the targeted development of the body's fundamental physical qualities and functional capabilities have a developmental impact on the growing bodies of children aged 5-7 years. It has been shown that a movement pattern that incorporates sports, games, and exercises into the supplementary education system for preschoolers in kindergarten has the most pronounced positive effect.

A comprehensive assessment of the body's functional reserves, based on the analysis of the results of studies of the cardiovascular and respiratory systems, as well as the child's coordination abilities, made it possible to establish the distribution of older preschool children by the level of FRO: a low level was observed in 17.6% of children, an average level in 52.2% of children, and a high level in 30.2% of children.

It was found that children in preparatory groups were less likely to have high levels of FRO than children in older groups. This may be due to the adverse effects of additional educational loads during school preparation, which are accompanied by a decrease in physical activity and an increase in static loads. The percentage of children with high FRO levels in preparatory groups was 1.4 times lower than in older groups, amounting to 31.7% and 44.1%, respectively. Low FRO levels were observed equally frequently, in 20.3% and 22.0% of children, respectively.

An analysis of the growth rates of physical fitness indicators in children of different ages depending on their physical activity regimen allowed us to determine the age-specific sensitivity of children to physical activity of various types and formulate the main principles of an algorithm for hygienic optimization of physical activity regimens for children's physical preparation for school. At



age 5, physical exercises aimed at normalizing muscle tone are recommended, while at age 6, they are aimed at developing coordination skills and balance. The use of sports games and exercises adapted to the age-specific developmental characteristics of children is recommended for children of all ages—5, 6, and 7. When assessing the physical development and results of physical fitness testing of senior preschool children, medical workers of preschool educational institutions are recommended to use the average age-sex values of speed, speed-strength physical qualities and physiometric indicators (vital capacity of the lungs, muscle strength of the right and left hands).

To optimize children's physical preparation for school, it is recommended to use a developed algorithm for building a motor regimen in preschool educational institutions, based on the child's age-related sensitivity to various types of physical activity and contributing to an increase in the level of physical fitness and functional reserves of the body.

The assessment and monitoring of the effectiveness of motor regimes in kindergarten should be carried out using the methodological recommendations “Monitoring the physical development and health of children in preschool educational institutions”.

Conclusion

Studies of physical development and physical fitness of senior preschool children made it possible to obtain average age- and sex-specific values of physiometric indicators (vital capacity of the lungs, muscle strength; right and left hands) and indicators of development of physical qualities (10 m run, 30 m run, standing long jump, medicine ball throw), which are recommended for use in the analysis of the results of dynamic observation in the process of assessing the influence of motor modes on the functional capabilities of the body and physical fitness of senior preschool children. A comparative analysis of physical fitness indicators and functional capabilities of the body based on physiometric indicators in children aged 5-7 years with standard values of similar indicators obtained on the basis of mass surveys of children of the same age and sex in the 90s of the twentieth century revealed differences both in the level of absolute values and in



the magnitude of the ranges of their changes, indicating a decrease in the functional capabilities of the body of modern senior preschool children. Preparing children for school requires that children in preparatory groups attend additional static classes (literacy, basic mathematics, and foreign language) both in and outside of kindergarten. In kindergarten, 1.5 times more preparatory group children attend such classes than older children (64.1% and 43.9%, respectively). More preparatory group children attend additional classes outside of kindergarten than older children (53.3% and 31.6%, respectively).

References

1. Axmedova, P. B. (2025). ADENOTOMY IN CHILDREN WITH ALLERGIC RHINITIS AND BRONCHIAL ASTHMA. *Web of Medicine: Journal of Medicine, Practice and Nursing*, 3(3), 459-466.
2. Durdona, Q. S. R. O. T. (2024). THE CURRENT STATE OF THE PROBLEM OF SEVERE ACUTE PANCREATITIS.
3. Ikramova, N. A., & Axmedova, R. D. (2025, April). THE IMPACT OF ATMOSPHERIC AIR POLLUTION ON HUMAN HEALTH. In *The Conference Hub* (pp. 7-10).
4. Ikramova, N. A., & Axmedova, R. D. (2025, March). THE IMPACT OF ATMOSPHERIC ENVIRONMENTAL POLLUTION ON HUMAN HEALTH: THE ROLE OF MOTOR VEHICLES AND INDUSTRIAL EMISSIONS. International Conference on Advance Research in Humanities, Applied Sciences and Education.
5. Ikramova, N. A., Jalolov, N. N., Mirsagatova, M. R., Kasimova, K. T., Sadirova, M. K., & Sultonov, E. Y. (2025, April). AMBIENT TEMPERATURE AND THE RISK OF THERMOREGULATORY DISORDERS AMONG TRAFFIC POLICE OFFICERS: AN EPIDEMIOLOGICAL ANALYSIS. International Conference on Advance Research in Humanities, Applied Sciences and Education.
6. Ikramova, N. A., Mirsagatova, M. R., Jalolov, N. N., Kasimova, K. T., Sultonov, E. Y., & Sadirova, M. K. (2025, April). THE EFFECT OF THERMAL LOAD ON THE BODY OF OUTDOOR WORKERS:



-
- ANALYSIS BASED ON MEDICAL AND HYGIENIC INDICATORS. International Conference on Advance Research in Humanities, Applied Sciences and Education.
7. Ikramova, N. A., Sherqo'zieva, G. F., & Salomova, F. I. (2025). OZIQ-OVQAT MAHSULOTLARININING XAVFSIZLIGI MUAMMOLARI VA YECHIMLARI. *Медицинский журнал молодых ученых*, (13 (03)), 279-283.
 8. Ikramova, N. A., Suyunov, M. Z., & Kholdarov, A. A. (2025, April). HYGIENIC ASSESSMENT OF PROFESSIONAL RISK FACTORS FOR ROAD PATROL EMPLOYEES IN HOT CLIMATE. In *The Conference Hub* (pp. 59-62).
 9. Jalolov, N. N., & Ikramova, N. A. (2025, April). THE RELATIONSHIP BETWEEN AIR POLLUTION AND ARTERIAL HYPERTENSION. In *The Conference Hub* (pp. 169-173).
 10. Jalolov, N. N., Umedova, M. E., & Ikramova, N. A. (2025, April). Occupational risk factors for workers operating in hot climates: the case of traffic police officers. International Conference on Advance Research in Humanities, Applied Sciences and Education.
 11. Khakimova, D. S., Kobiljonova, S. R., & Salomova, F. I. (2023, June). Results of hygiene assessment of food of school students. //International Scientific-Practical Conference "Only English: Advances in Medical Research and Practice Conference" 23.05. 2023.-P. 78-79.
 12. Kobiljonova SR, Jalolov NN, Sharipova SA, Mirsagatova MR. SPECTRUM OF CAUSE-SIGNIFICANT ALLERGENS CAUSING POLYNOSIS IN CHILDREN.
 13. Kosimova, K. T., Jalolov, N. N., & Ikramova, N. A. (2025, April). THE RELATIONSHIP BETWEEN AIR POLLUTION AND ARTERIAL HYPERTENSION. International Conference on Advance Research in Humanities, Applied Sciences and Education.
 14. Kosimova, X. T., Ikramova, N. A., & Umedova, M. E. (2025). HAVONING IFLOSLANISHI VA ARTERIAL GIPERTENZIYA O'RTASIDAGI ALOQADORLIK.
-



-
15. Makhsudova, S. O. (2025). QUALITY OF LIFE OF PATIENTS WITH BRONCHIAL ASTHMA. *EduVision: Journal of Innovations in Pedagogy and Educational Advancements*, 1(6), 567-595.
 16. Malikov, Q. S. R. M. M. (2024). CORONARY HEART DISEASE AND CANCER.
 17. Malikov, Q. S. R. M. M. (2024). DISEASES OF THE POPULATION FROM THE LEVEL OF AIR POLLUTION IN REGIONAL CONDITIONS.
 18. Mirrahimova, M. X., Kohiljonova, S. R., & Sadullayevna, X. A. (2022). PREVALENCE AND RISK FACTORS OF ALLERGIC DISEASE IN CHILDREN.
 19. Mirzayev, M. M., & Malikov, S. G. (2025). CORONARY HEART DISEASE AND CANCER. *Web of Medicine: Journal of Medicine, Practice and Nursing*, 3(3), 215-224.
 20. Mirzayev, M. M., & Malikov, S. G. (2025). DISEASES OF THE POPULATION FROM THE LEVEL OF AIR POLLUTION IN REGIONAL CONDITIONS. *Web of Scientists and Scholars: Journal of Multidisciplinary Research*, 3(3), 104-111.
 21. Murodiljon o'gli, M. M., & Gafurdjanovich, M. S. (2025, March). ASSESSMENT OF THE RISK OF DEVELOPING DIABETES MELLITUS IN MEN WITH DIFFERENT LEVELS OF CARDIOVASCULAR RISK. In *The Conference Hub* (pp. 64-71).
 22. Qosimova, X. T., Ikramova, N. A., Juraboyeva, D. N., & Mukhtorova, D. A. (2025, March). THE ADVERSE EFFECTS OF SMARTPHONES ON COGNITIVE ACTIVITY IN THE EDUCATIONAL PROCESS AND WAYS TO MITIGATE THEM. In *The Conference Hub* (pp. 76-79).
 23. Sadullaeva, K. A., Sadirova, M. Q., Ikramova, N. A., & Sotivoldieva, S. A. (2025). EFFECT OF NUTRITION ON HEALTH OF SCHOOL STUDENTS.
 24. Salomova, F. I. (2024, February). STIMULATION OF THE IMMUNE RESPONSE BY CYTOKINE PREPARATIONS AND THEIR



-
- STANDARDIZATION. European youth innovation society conference volume 1№.
25. Salomova, F. I., & Kim, E. S. (2025). METABOLIC DISORDERS IN CHILDREN WITH GASTROENTEROLOGICAL DISEASES AND FOOD ALLERGIES. *EduVision: Journal of Innovations in Pedagogy and Educational Advancements*, 1(6), 495-503.
 26. Salomova, F. I., Mirrahimova, M. X., Sadullayeva, X. A., & Kobiljonova, S. R. (2022, November). Prediction and prevention of food allergies in children. Uzbekistan-Japan International Conference «Energy-Earth-Environment-Engineering», November 17-18, 2022, Uzbek-Japan Innovation Center of Youth, Tashkent, Uzbekistan Uzbekistan-Japan International Conference «Energy-Earth-Environment-Engineering», November 17-18, 2022, Uzbek-Japan Innovation Center of Youth, Tashkent, Uzbekistan tesis Bet 81.
 27. Salomova, F. I., Sadullaeva, H. A., Abdullaeva, D. G., & Kobilzhonova Sh, R. (2022). PREVALENCE AND RISK FACTORS OF ALLERGIC DISEASES IN CHILDREN IN HOT CLIMATIC CONDITIONS.
 28. Salomova, F. I., Sherkuziyeva, G. F., Sharipova, S. A., & Qobiljonova Sh, R. (2025). INFLUENCE OF ENVIRONMENTAL FACTORS ON THE PREVALENCE OF ALLERGIC DISEASES DISEASES. *EduVision: Journal of Innovations in Pedagogy and Educational Advancements*, 1(6), 451-460.
 29. Sharipova, S. A., & Ikramova, N. A. (2024). CONSEQUENCES OF NOT BREASTFEEDING FOR THE MOTHER AND INFANT.
 30. Sharipova, S. A., Ikramova, N. A., Bahriddinova, M. N., Toshpulatov, B. M., & Egamberdiyeva, Z. Z. (2025, March). SPECIFIC ASPECTS OF PREVENTION OF INFECTIOUS DISEASES. International Conference on Advance Research in Humanities, Applied Sciences and Education.
 31. Sherko'zieva, G. F., Ikramova, N. A., Bakhridinova, M. N., Toshpulatov, B. M., Boysarieva, M. R., & Abdurashidova, D. J. & Rasulov, RS (2025). *ATMOSPHERIC AIR AND HEALTH*.
-



32. Sherko'zieva, G. F., Ikramova, N. A., Bakhridinova, M. N., Toshpulatov, B. M., Boysarieva, M. R., Abdurashidova, D. J., ... & Rasulov, R. S. (2025). ATMOSPHERIC AIR AND HEALTH.
33. Sherkuzieva, G. F. (2021). Сузиш бассейнлари сувининг ифлосланиш муаммоларининг замонавий ҳолати. *Молодой ученый*, (21), 624-627.
34. Sherkuzieva, G. F., Salomova, F. I., & Ikramova, N. A. (2025). IBN SINO'S FERTILIZERS ON MEDICINES IN THE" MEDICINE EPISTLE". *Web of Medicine: Journal of Medicine, Practice and Nursing*, 3(5), 257-260.
35. Sherqo'ziyeva, G. F., Salomova, F. I., Sharipova, S. A., Yuldasheva, F. U., & Ikramova, N. A. (2025). Avtomobillashuv va uning ekologo-gigiyenik muammolari.
36. Tolipova, A. F. (2025). ARRHYTHMIC SYNDROME IN CHILDREN AND ADOLESCENTS WITH MINOR CARDIAC ANOMALIES. *Web of Medicine: Journal of Medicine, Practice and Nursing*, 3(3), 440-447.
37. Zakirova, M. R. (2024). INTRANASAL IMMUNOTHERAPY OF ALLERGIC RHINITIS.
38. Zakirova, M. R. (2024). SOLUBLE FORMS OF MEMBRANE PROTEINS OF IMMUNE SYSTEM CELLS IN BRONCHIAL ASTHMA IN CHILDREN.
39. Кобилжонова ШР, Садуллаева ХА. IMPACTS OF THE ENVIRONMENT ON HUMAN HEALTH.
40. Кобилжонова, Ш. Р. (2024). CLINICAL AND MORPHOLOGICAL FEATURES OF GASTRODUODENITIS IN CHILDREN WITH SALINE DIATHESIS.
41. КОБИЛЖОНОВА, Ш., ТОШЕВА, Ш., & ЗОКИРЖОНОВА, Г. (2023). Modern approaches to diet therapy for food allergies in children.
42. Миррахимова, М. Х., Садуллаева, Х. А., & Кобилжонова, Ш. Р. (2022). *Значение экологических факторов при бронхиальной астме у детей* (Doctoral dissertation, Россия).
43. Саломова ФИ, Ахмадалиева НО, Кобилжонова ШР. Избыточный вес и ожирение у детей: ключевые факторы.



-
44. Саломова ФИ, Кобилжонова ШР. Оценка эффективности диетотерапии при пищевой аллергии у детей в различные возрастные периоды. Вестник ТМА SPECIAL ISSUE Dedicated to The 10th International Symposium On Important Problems of the Environmental Protection and Human Health.
 45. Саломова, Ф. И., & Кобилжонова, Ш. Р. (2024). Факторы риска аллергических заболеваний у детей дошкольного возраста.
 46. Саломова, Ф. И., & Кобилжонова, Ш. Р. (2024, March). РАЗРАБОТКА СИСТЕМНЫХ АЛГОРИТМОВ СНИЖЕНИЯ АЛЛЕРГИЧЕСКИХ ЗАБОЛЕВАНИЙ. Международный форум «ANaMed Forum–New Generation 2025» Алматы: КазНМУ, 2025..
 47. Саломова, Ф. И., & Кобилжонова, Ш. Р. (2024, May). ФАКТОРЫ РИСКА РАЗВИТИЯ АЛЛЕРГИИ У ДЕТЕЙ. Международный форум «ANaMed Forum–New Generation 2025» Алматы: КазНМУ, 2025.-С. 1154-1155.
 48. Саломова, Ф. И., Искандарова, Г. Т., Садуллаева, Х. А., Шарипова, С. А., Шеркүзиева, Г. Ф., Нурматов, Б. Қ., & Садирова, М. К. (2022). Атроф муҳит ва инсон саломатлиги мутахассислиги амалий кўникмаларни ўзлаштириш бўйича” услубий кўрсатма.